

**Trade name :**      **Lithofin KF Grout Protector**

**Revision date :**                      23.05.2017  
**Print date :**                            27.07.2017

**Version (Revision) :**                      2.0.0 (1.0.0)  
**Page :**    1 / 8

## **SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

### **1.1 Product identifier**

Lithofin KF Grout Protector

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

#### **Relevant identified uses**

Mixture Impregnation, aqueous solution

### **1.3 Supplier (manufacturer/importer/only representative/downstream user/distributor)**

#### **Distributor :**

CDK Stone Pty Ltd

#### **Street :**

4-6 Freighter Rd

#### **Postal code/city :**

AUS-Moorabbin, Victoria 3189

#### **Telephone :**

+61 3 8552-6000

#### **Telefax :**

+61 3 8552-6001

#### **Contact :**

Technical Department

E-mail: enquiries@cdkstone.com.au

Emergency telephone number:

+61 (0)3 8552-6000

(Only available during office hours)

#### **Supplier :**

Lithofin AG

#### **Street :**

Heinrich-Otto-Str. 36

#### **Postal code/city :**

73240 Wendlingen

#### **Telephone :**

+49 (0)7024 9403-0

#### **Telefax :**

+49 (0)7024 9403-40

#### **Contact :**

Technical Department

E-mail: info@lithofin.de

Emergency telephone number:

+49 (0)7024 9403-0

(Only available during office hours)

### **1.4 Emergency telephone number**

see section 1.3

## **SECTION 2: Hazards identification**

### **2.1 Classification of the substance or mixture**

#### **Classification according to Regulation (EC) No 1272/2008 [CLP]**

None

#### **Additional information**

This substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### **Remark**

Full text of H- and EUH-phrases: see section 16.

### **2.2 Label elements**

#### **Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

##### **Precautionary statements**

P102                      Keep out of reach of children.

##### **Special rules for supplemental label elements for certain mixtures**

EUH210                      Safety data sheet available on request.

### **2.3 Other hazards**

None

### **2.4 Additional information**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

**Trade name :** Lithofin KF Grout Protector

**Revision date :** 23.05.2017  
**Print date :** 27.07.2017

**Version (Revision) :** 2.0.0 (1.0.0)  
**Page :** 2 / 8

### 3.2 Mixtures

#### Hazardous ingredients

PROPAN-2-OL ; REACH registration No. : 01-2119457558-25-xxxx ; EC No. : 200-661-7; CAS No. : 67-63-0

Weight fraction :  $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

#### Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation.

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. In case of eye irritation consult an ophthalmologist.

#### After ingestion

When in doubt or if symptoms are observed, get medical advice. Rinse mouth thoroughly with water. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water alcohol resistant foam ABC-powder Carbon dioxide (CO<sub>2</sub>) Water spray

#### Unsuitable extinguishing media

High power water jet Strong water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Hydrogen fluoride Fluoropolymers

### 5.3 Advice for firefighters

Use suitable breathing apparatus.

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

**Trade name :** Lithofin KF Grout Protector

**Revision date :** 23.05.2017  
**Print date :** 27.07.2017

**Version (Revision) :** 2.0.0 (1.0.0)  
**Page :** 3 / 8

## 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

### For cleaning up

Suitable material for taking up: Universal binder

### Other information

Clear spills immediately.

## 6.4 Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

### Protective measures

Not useable after freezing. Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

### Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

**Fire class :** -

## 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

### Hints on joint storage

**Storage class (TRGS 510) :** 10

**Recommended storage temperature** 5 - 25 °C

### Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

**Protect against :** Frost

## 7.3 Specific end use(s)

### Recommendation

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Occupational exposure limit values

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 200 ppm / 500 mg/m<sup>3</sup>

Peak limitation : 2(II)

Remark : Y

Version : 04.11.2017

Limit value type (country of origin) : TRGS 903 ( D )

Parameter : Acetone / Whole blood (B) / End of exposure or end of shift

Limit value : 50 mg/l

Version : 31.03.2004

Limit value type (country of origin) : TRGS 903 ( D )

Parameter : Acetone / Urine (U) / End of exposure or end of shift

Limit value : 50 mg/l

Version : 31.03.2004

## 8.2 Exposure controls

### Personal protection equipment

#### Eye/face protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin KF Grout Protector

**Revision date :** 23.05.2017  
**Print date :** 27.07.2017

**Version (Revision) :** 2.0.0 (1.0.0)  
**Page :** 4 / 8

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

#### **Suitable eye protection**

Eye glasses with side protection goggles

#### **Required properties**

DIN EN 166

#### **Skin protection**

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

#### **Hand protection**

**Suitable gloves type :** Gloves with long cuffs

**Suitable material :** NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

**Recommended glove articles :** Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

**Additional hand protection measures :** Check leak tightness/impermeability prior to use.

**Remark :** Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### **Body protection**

Protective clothing.

**Suitable protective clothing :** Chemical protection clothing Chemical resistant safety shoes

**Required properties :** acid-resistant. alkali-resistant.

**Recommended protective clothing articles :** DIN EN ISO 20345 DIN EN 13034 DIN EN 14605 DIN EN 14404

**Remark :** Barrier creams are not substitutes for body protection.

#### **Respiratory protection**

Usually no personal respiratory protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

#### **Suitable respiratory protection apparatus**

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

#### **Remark**

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### **General health and safety measures**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work.

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

**Appearance :** liquid

**Colour :** light yellow

**Odour :** unspecific

#### **Safety relevant basis data**

|  |              |         |                     |  |
|--|--------------|---------|---------------------|--|
| <b>Freezing point :</b>                          | ( 1013 hPa ) | approx. | -3 °C               |  |
| <b>Initial boiling point and boiling range :</b> | ( 1013 hPa ) | approx. | 92 °C               |  |
| <b>Decomposition temperature :</b>               | ( 1013 hPa ) |         | not determined      |  |
| <b>Flash point :</b>                             |              | approx. | 47 °C               | closed cup                               |
| <b>Ignition temperature :</b>                    |              |         | not determined      |  |
| <b>Sustaining combustion</b>                     |              |         | No                  | UN Test L2:Sustained combustibility test |
| <b>Lower explosion limit :</b>                   |              |         | not determined      |  |
| <b>Upper explosion limit :</b>                   |              |         | not determined      |  |
| <b>Vapour pressure :</b>                         | ( 50 °C )    | <       | 3000 hPa            |  |
| <b>Density :</b>                                 | ( 20 °C )    | approx. | 1 g/cm <sup>3</sup> | Pyknometer                               |
| <b>Solvent separation test :</b>                 | ( 20 °C )    | <       | 3 %                 |  |
| <b>Water solubility</b>                          | ( 20 °C )    |         | miscible            |  |

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name :** Lithofin KF Grout Protector

**Revision date :** 23.05.2017  
**Print date :** 27.07.2017

**Version (Revision) :** 2.0.0 (1.0.0)  
**Page :** 5 / 8

|                      |                   |                |              |
|----------------------|-------------------|----------------|--------------|
| pH :                 | approx.           | 5              |              |
| log P O/W :          |                   | not determined |              |
| Flow time :          | ( 23 °C ) approx. | 12 s           | ISO cup 4 mm |
| Odour threshold :    |                   | not determined |              |
| Vapourisation rate : |                   | not determined |              |
| VOC-FR               |                   | A+             |              |

**9.2 Other information**

None

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

No information available.

**10.2 Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4 Conditions to avoid**

No hazardous reaction when handled and stored according to provisions.

**10.5 Incompatible materials**

No data available

**10.6 Hazardous decomposition products**

Does not decompose when used for intended uses.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute effects**

**Acute oral toxicity**

|                  |  |
|------------------|--|
| Parameter :      | LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Oral                                     |
| Species :        | Rat                                      |
| Effective dose : | 5840 mg/kg                               |
| Method :         | OECD 401                                 |

**Acute dermal toxicity**

|                  |  |
|------------------|--|
| Parameter :      | LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Dermal                                   |
| Species :        | Rabbit                                   |
| Effective dose : | 13900 mg/kg                              |
| Method :         | OECD 402                                 |

**Acute inhalation toxicity**

|                  |  |
|------------------|--|
| Parameter :      | LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Exposure route : | Inhalation                               |
| Species :        | Rat                                      |
| Effective dose : | > 25 mg/l                                |
| Exposure time :  | 6 h                                      |
| Method :         | OECD 403                                 |

**Specific symptoms in animal studies**

No data available

**Irritant and corrosive effects**

**Assessment/classification**

Causes serious eye damage. Causes severe burns.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Carcinogenicity**

No indication of human carcinogenicity.

**Germ cell mutagenicity**

**In vivo mutagenicity**

**Other information**

No experimental indications of in vivo mutagenicity exist.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name :** Lithofin KF Grout Protector

**Revision date :** 23.05.2017  
**Print date :** 27.07.2017

**Version (Revision) :** 2.0.0 (1.0.0)  
**Page :** 6 / 8

**Human toxicological data**

**Other information**

No indications of human germ cell mutagenicity exist.

**Reproductive toxicity**

**Practical experience/human evidence**

No indications of human reproductive toxicity exist.

**Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity**

**Acute (short-term) fish toxicity**

|                  |  |
|------------------|--|
| Parameter :      | LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Species :        | Fish                                     |
| Effective dose : | 9640 mg/l                                |
| Exposure time :  | 96 h                                     |

**Acute (short-term) daphnia toxicity**

|                  |  |
|------------------|--|
| Parameter :      | EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Species :        | Daphnia                                  |
| Effective dose : | 9714 mg/l                                |
| Exposure time :  | 24 h                                     |

**Acute (short-term) algae toxicity**

|                  |  |
|------------------|--|
| Parameter :      | IC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 ) |
| Species :        | Algae                                    |
| Effective dose : | > 100 mg/l                               |
| Exposure time :  | 72 h                                     |

**Sediment toxicity**

**Toxicity to soil macroorganisms**

**Acute earthworm toxicity**

**Chronical earthworm toxicity (reproduction)**

**Long-term toxicity of organisms living in the sediment**

**Effects in sewage plants**

Observe local regulations concerning effluent treatment.

**12.2 Persistence and degradability**

No data available

**Abiotic degradation**

**Abiotic degradation in Water**

**Hydrolysis**

**Biodegradation**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6 Other adverse effects**

No data available

**12.7 Additional ecotoxicological information**

**Additional information**

The product has not been tested.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Dispose according to legislation.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name :**      **Lithofin KF Grout Protector**

**Revision date :**                      23.05.2017  
**Print date :**                            27.07.2017

**Version (Revision) :**                      2.0.0 (1.0.0)  
**Page :**    7 / 8

**Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV**

**Waste code product**

Waste code (91/689/EEC) : 07 01 99

**Waste treatment options**

29/35 - Do not empty into drains; dispose of this material and its container in a safe way.

**Appropriate disposal / Package**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

**13.2 Additional information**

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

**SECTION 14: Transport information**

**14.1 UN number**

No dangerous good in sense of these transport regulations.

**14.2 UN proper shipping name**

No dangerous good in sense of these transport regulations.

**14.3 Transport hazard class(es)**

No dangerous good in sense of these transport regulations.

**14.4 Packing group**

No dangerous good in sense of these transport regulations.

**14.5 Environmental hazards**

No dangerous good in sense of these transport regulations.

**14.6 Special precautions for user**

None

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp)

Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC)

EN 2:1992 (DIN EN 2:2005-01)

**Other regulations (EU)**

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

**National regulations**

Observe in addition any national regulations! TRGS 510

**Water hazard class (WGK)**

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

**Other regulations, restrictions and prohibition regulations**

**VOCV-Regulation (CH)**

Maximum VOC content (Switzerland) : 4,9 Wt % according to VOCV

**15.2 Chemical safety assessment**

No information available.

**15.3 Additional information**

**SECTION 16: Other information**

**16.1 Indication of changes**

03. Hazardous ingredients

**16.2 Abbreviations and acronyms**

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name :**      **Lithofin KF Grout Protector**

**Revision date :**                      23.05.2017  
**Print date :**                              27.07.2017

**Version (Revision) :**                      2.0.0 (1.0.0)  
**Page :**    8 / 8

---

None

**16.3 Key literature references and sources for data**

None

**16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

No information available.

**16.5 Relevant H- and EUH-phrases (Number and full text)**

|      |                                     |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation.      |
| H336 | May cause drowsiness or dizziness.  |

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---