

## **Safety Data Sheet**

## **Snapback**

**Revision:** 2016-03-22 **Version:** 01.0

### SECTION 1: Identification of the substance/mixture and supplier

## 1.1 Product identifier Product name: Snapback

#### 1.2 Recommended use and restrictions on use

Identified uses: Floor cleaner

Restrictions of use:

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited 29 Chifley St, Smithfield, NSW, 2164, Australia Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@sealedair.com Website: http://www.sealedair.com/

#### 1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin corrosion, Category 1B

### 2.2 Label elements



Signal word: Danger

### Hazard statements:

H314 - Causes severe skin burns and eye damage.

### Prevention statement(s):

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

### Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

### Storage statement(s):

P405 - Store locked up.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.



#### 2.3 Other hazards

No other hazards known.

#### 2.4 Classification diluted product:

Recommended maximum concentration (%): 20

Not classified

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
Ethoxylated alcohol	68439-50-9	Present		1-3
disodium metasilicate	6834-92-0	229-912-9		1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General Information:** If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before re-use. Immediately call a

POISON CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities: Shower and eyewash facilities should be considered in a workplace where necessary.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of Ingestion:

oesophagus and stomach.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### 5.4 Hazchem code

2X

- 2 Fine water spray.
- X Liquid-tight chemical protective clothing and breathing apparatus. Contain.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Use only with adequate ventilation.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min

Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

**Body protection:** Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

**Respiratory protection:** No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 20

Appropriate engineering controls:

Appropriate organisational controls:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:**No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid
Colour: Clear, Off-White
Odour: Slightly perfumed
Odour threshold: Not applicable

**pH:** ≈ 12.7 (neat) **Dilution pH:** > 12 (10%)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): ≈ closed cup

Sustained combustion: Not applicable. Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined

Solubility in / Miscibility with Water: Fully miscible Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

**Explosive properties:** Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with water and acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:.

### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

### **Acute toxicity**

A	1	4 1	-:4-
Acute	orai	toxic	CITV

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
Ethoxylated alcohol		No data			
		available			
disodium metasilicate	LD 50	770 - 820	Mouse	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Ethoxylated alcohol		No data			
		available			
disodium metasilicate		No data			
		available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated alcohol		No data available			
disodium metasilicate		No data available			

### Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated alcohol	No data available			
disodium metasilicate	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated alcohol	No data available			
disodium metasilicate	Corrosive		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated alcohol	No data available			
disodium metasilicate	No data available			

### Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Ethoxylated alcohol	No data available			
disodium metasilicate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated alcohol	No data available			
disodium metasilicate	No data available			

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)

Ethoxylated alcohol	No data available	No data available	
disodium metasilicate	No data available	No data available	

Carcinogenicity

	Ingredient(s)	Effect
ĺ	Ethoxylated alcohol	No data available
ſ	disodium metasilicate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Ethoxylated alcohol			No data				
			available				
disodium metasilicate			No data				
			available				

### Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Sub-acute of sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
• ,,		(mg/kg bw/d)			time (days)	affected
Ethoxylated alcohol		No data				
		available				
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not		
	I			given	1	

Sub-chronic dermal toxicity

out chronic definal toxicity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Ethoxylated alcohol		No data			`	
		available				
disodium metasilicate		No data				
		available				

Sub-chronic inhalation toxicity

Sub-critoric irrialation toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
Ethoxylated alcohol		No data				
		available				
disodium metasilicate		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Ethoxylated alcohol			No data					
			available					
disodium metasilicate			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Ethoxylated alcohol	No data available
disodium metasilicate	No data available

STOT-repeated exposure

CTCT Topodiod expectato	
Ingredient(s)	Affected organ(s)
Ethoxylated alcohol	No data available
disodium metasilicate	No data available

### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture

Substance data, where relevant and available, are listed below:

### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated alcohol		No data available			
disodium metasilicate	LC 50	210	Brachydanio rerio	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated alcohol		No data			
		available			
disodium metasilicate	EC 50	1700	Daphnia	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated alcohol		No data available			
disodium metasilicate	EC 50	207	Chlorella pyrenoidosa	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Ethoxylated alcohol		No data			
		available			
disodium metasilicate		No data			-
		available			

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Ethoxylated alcohol		No data			
		available			
disodium metasilicate	EC 50	> 100	Activated	Method not given	3 hour(s)
			sludge		

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Ethoxylated alcohol		No data				
		available				
disodium metasilicate		No data				
		available				

Aquatic long-term toxicity - crustacea

Aquatic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Ethoxylated alcohol		No data				
		available				
disodium metasilicate		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Ethoxylated alcohol		No data available				
disodium metasilicate		No data available			-	

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity Soil invertebrates, including cultimon	113, II availabi	О.				
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
disodium metasilicate		No data			-	
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data			-	
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	

### 12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Ethoxylated alcohol					No data available
disodium metasilicate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Ethoxylated alcohol	No data available			
disodium metasilicate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Ethoxylated alcohol	No data available				
disodium metasilicate	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Ethoxylated alcohol	No data available				
disodium metasilicate	No data available				

#### 12.5 Other adverse effects

No other adverse effects known.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

**Recommendation:** Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

### **SECTION 14: Transport information**



### ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: 3266

14.2 UN proper shipping name:

Corrosive liquid, basic, inorganic, n.o.s. (disodium trioxosilicate)

14.3 Transport hazard class(es):

Class: 8
Label(s): 8

14.4 Packing group: III

14.5 Environmental hazards:
Environmentally hazardous: No
Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

#### Other relevant information:

Hazchem code: 2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling

of Medicines and Poisons (SUSMP).

Classification Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Inventory listing(s) AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are

exempt

### **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**SDS code:** MS31000352 **Version:** 01.0 **Revision:** 2016-03-22

### Full text of the H and EUH phrases mentioned in section 3: Full text of the H phrases mentioned in section 3:

• H290 - May be corrosive to metals.

- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.

#### Additional information:

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the

risks and apply control methods where appropriate.

- Abbreviations and acronyms:

   ATE Acute Toxicity Estimate

   AISE The international Association for Soaps, Detergents and Maintenance Products

   LC50 Lethal Concentration, 50% / Median Lethal Concentration

- DNEL Derived No Effect Limit

  UH CLP Specific hazard statement

  LD50 Lethal Dose, 50% / Median Lethal dose

  PBT Persistent, Bioaccumulative and Toxic

  STOT-RE Specific target organ toxicity (repeated exposure)

  PNEC Predicted No Effect Concentration

- STOT-SE Specific target organ toxicity (single exposure)
   REACH number REACH registration number, without supplier specific part
   EC No. European Community Number
- vPvB very Persistent and very Bioaccumulative

**End of Safety Data Sheet**