	fety Data Shee ording to Regulati		/2006 (REACH)		(EN / D	
	ade name :		F Vitra-Clean			
	sion date : date :	30.05.2017 27.07.2017		Version (Revision) : Page :	2.0.0 (1.0.0 1 / 8	
SEC	CTION 1: Identifica	tion of the subst	ance/mixture and of the	company/ undertak	ing	
1.1	Product identifier					
1.2	Relevant identifie Relevant identifi	ed uses of the su ed uses	bstance or mixture and	uses advised agains	st	
1.3	-	d cleaning products, a	Ikaline only representative/dow	notroom upor/distrib	utor)	
1.5	Distributor :	cturen/importen/o	CDK Stone Pty Ltd		utor)	
	Street :		4-6 Freighter Rd			
	Postal code/city :		AUS-Moorabbin, Victo	ria 3189		
	Telephone :		+61 3 8552-6000			
	Telefax :		+61 3 8552-6001			
	Contact :		Technical Department E-mail: enquiries@cdks	tone.com.au		
			Emergency telephone n +61 (0)3 8552-6000 (Only available during o			
	Supplier :		Lithofin AG			
	Street :		Heinrich-Otto-Str. 36 73240 Wendlingen			
	Postal code/city :		+49 (0)7024 9403-0			
	Telephone : Telefax :		+49 (0)7024 9403-40			
	Contact :		Technical Department E-mail: info@lithofin.de			
			Emergency telephone n +49 (0)7024 9403-0 (Only available during o			
1.4	Emergency telep	hone number	(Only available daming o			
	see section 1.3					
6C	CTION 2: Hazards i	dontification				
SEC		dentification				
2.1	Classification of	the substance or	[•] mixture			
		• •	lation (EC) No 1272/200			
	Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.					
	Additional information This mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Results from in vitro test for skin corrosivity/irritancy: Eye Dam. 2A (OECD 437/BCOP-Test)					
	Remark	(7			
		UH-phrases: see secti	on 16.			
2.2	Label elements					
	Labelling accord Hazard pictograms		n (EC) No. 1272/2008 [C	LPJ		



Warning Hazard statements

Trade name :	Lithofin KF Vitra-Clea		
Revision date : Print date :	30.05.2017 27.07.2017	Version (Revision) : Page :	2.0.0 (1.0.0) 2 / 8
H319	Causes serious eve irritation.		
Precautionary state	,		
P102	Keep out of reach of children.		
P280	Wear eye/face protection.		
P337+P313	If eye irritation persists: Get medical ad	vice/attention.	
P305+P351+P338	IF IN EYES: Rinse cautiously with wate present and easy to do. Continue rinsin		ct lenses, if
P501	Dispose of contents and container to ap local and national regulations.	opropriate waste site or reclaimer in a	accordance with
2.3 Other hazards	-		

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

2.4 Additional information

Safety Data Sheet

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6 Weight fraction : $\geq 5 - < 10 \%$

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400

Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation. Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water alcohol resistant foam ABC-powder Carbon dioxide (CO2) Water spray Unsuitable extinguishing media

Trade name :

Revision date : Print date :

Lithofin KF Vitra-Clean

30.05.2017 27.07.2017

Version (Revision) :	2.0.0 (1.0.0)
Page :	3/8

High power water jet Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder

6.4 Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class :

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

Hints on joint storage

Storage class (TRGS 510): 12

Recommended storage temperature 5 - 25 °C

Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Recommendation

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- None
- 8.2 Exposure controls Personal protection equipment

Trade name :

Revision date : Print date :

Lithofin KF Vitra-Clean

30.05.2017 27.07.2017

Version (Revision) :	2.0.0 (1.0.0)
Page :	4 / 8

Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

Suitable eye protection

Eye glasses with side protection goggles

Required properties

DIN EN 166

Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

Remark: Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Protective clothing.

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes Required properties : alkali-resistant.

Recommended protective clothing articles : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605 DIN EN 14404 **Remark** : Barrier creams are not substitutes for body protection.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light blue Odour : perfumed

Safety relevant basis data

Salety relevant basis dal				
Freezing point :	(1013 hPa)	approx.	0	°C
Initial boiling point and boiling ra :	nge (1013 hPa)	approx.	101	°C
Decomposition temperature : Flash point : Ignition temperature :	(1013 hPa)		not determined not applicable not determined	
Sustaining combustion			No	
Lower explosion limit : Upper explosion limit :			not determined not determined	
•	(50 °C)	<		hPa
Upper explosion limit :	(50 °C) (20 °C)	< approx.	not determined	hPa g/cm³
Upper explosion limit : Vapour pressure :	· · · ·		not determined	

closed cup

UN Test L2:Sustained combustibility test

Pyknometer

Trade name : Revision date :		Lithofin KF Vitra-Clean		Version (Revision) :		2.0.0 (1.0.0	
Print	date :	27.07.2017				Page :	5 /
	Water solubility	(20 °	C)		miscible		
	pH :			approx.	11		
	log P O/W : Flow time :	(23 °	C)	approx.	not determined 12	s	ISO cup 4 mm
	Odour threshold :	(- /		not determined		
	Vapourisation rate : VOC-FR				not determined		
.2	Other information				not applicable		
.2	None						
SEC	TION 10: Stability	and reactivity					
0.1	Reactivity						
	No information availab	le.					
0.2	Chemical stability	,					
	The product is stable u	Inder storage at noi	mal ambier	nt temperatures	i.		
0.3	Possibility of haza	ardous reaction	ns				
	No hazardous reaction		stored acc	ording to provis	sions.		
0.4	Conditions to avo	id					
	No hazardous reaction		stored acc	ording to provis	sions.		
0.5	Incompatible mate						
	The product develops			on in contact wi	th metals.		
0.6	Hazardous decom	• •					
	Does not decompose	when used for inten	ded uses.				
SEC	TION 11: Toxicolog	aical informati	on				
	Information on to	_					
		_					
	Information on to	kicological effe	ects				
	Information on to Acute effects	kicological effe	ects		hed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route :	kicological effe LD: No. Ora	ects 50 (Alcohol: : 120313-4 al		hed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species :	kicological effe LD No. Ora Rat	50 (Alcohol: 120313-4		hed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose :	kicological effe LD No. Ora Rat > 2	ects 50 (Alcohol: : 120313-4 al		hed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species :	kicological effe LD No. Ora Rat > 2	2Cts 50 (Alcohols : 120313-4 al : 000 mg/kg 50 (Alcohols	8-6) s, C12-15, branc			nd propoxylated ; CAS nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicity Parameter :	kicological effe LD No. Ora Rat > 2 ty LD No.	2Cts 50 (Alcohols : 120313-4 al : 000 mg/kg 50 (Alcohols : 120313-4	8-6) s, C12-15, branc			
	Information on to: Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit	kicological effe LD No. Ora Rat > 2 ty LD No.	2Cts 50 (Alcohols : 120313-4 al : 000 mg/kg 50 (Alcohols : 120313-4 mal	8-6) s, C12-15, branc			
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route :	kicological effe LD No. Ora Rat > 2 ty LD No. Der Rat	2Cts 50 (Alcohols : 120313-4 al : 000 mg/kg 50 (Alcohols : 120313-4 mal	8-6) s, C12-15, branc			
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species :	kicological effe LD No. Ora Rat > 2 ty LD No. Der Rat > 2	2Cts 50 (Alcohols 120313-4 1 1 2000 mg/kg 50 (Alcohols 120313-4 mal 1 2000 mg/kg	8-6) s, C12-15, branc			
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose :	kicological effe LD No. Ora Rat > 2 ty LD No. Der Rat > 2	2Cts 50 (Alcohols 120313-4 1 1 2000 mg/kg 50 (Alcohols 120313-4 mal 1 2000 mg/kg	8-6) s, C12-15, branc			
	Information on to: Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor	kicological effe LD: No. Ora Rat > 2 ty LD: No. Del Rat > 2 ns in animal st	2Cts 50 (Alcohols 120313-4 1 1 2000 mg/kg 50 (Alcohols 120313-4 mal 1 2000 mg/kg	8-6) s, C12-15, branc			
	Information on to: Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Species : Effective dose : Specific symptor No data available	kicological effe LD: No. Ora Rat > 2 ty LD: No. Dei Rat > 2 Sive effects	2Cts 50 (Alcohols 120313-4 1 1 2000 mg/kg 50 (Alcohols 120313-4 mal 1 2000 mg/kg	8-6) s, C12-15, branc			
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corro	kicological effe LD: No. Ora Rat > 2 ty LD: No. Dei Rat > 2 ns in animal st sive effects ication	ects 50 (Alcohol: 120313-4 al 000 mg/kg 50 (Alcohol: 120313-4 mal 000 mg/kg cudies	8-6) s, C12-15, branc 8-6)	hed and linear, eth	noxylated a	
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (car	kicological effe LD: No. Ora Rat > 2 ty LD: No. Der Rat > 2 ns in animal st sive effects ication test for skin corros	ects 50 (Alcohols : 120313-4 al : 000 mg/kg 50 (Alcohols : 120313-4 mal : 000 mg/kg :udies	8-6) s, C12-15, branc 8-6) y: Eye Dam. 24	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (care	kicological effe LD: No. Ora Rati > 2 ty LD: No. Del Rati > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 5000 mg/kg cudies ivity/irritanc nutageni	8-6) s, C12-15, branc 8-6) y: Eye Dam. 24	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (car	kicological effe LD: No. Ora Rati > 2 ty LD: No. Del Rati > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity.	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 5000 mg/kg cudies ivity/irritanc nutageni	8-6) s, C12-15, branc 8-6) y: Eye Dam. 24	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (carr Carcinogenicity No indication of hum	kicological effe LD: No. Ora Rati > 2 ty LD: No. Del Rati > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity.	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 5000 mg/kg cudies ivity/irritanc nutageni	8-6) s, C12-15, branc 8-6) y: Eye Dam. 24	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corro Assessment/classiff Results from in vitro CMR effects (carr Carcinogenicity No indication of hum Germ cell mutageni	kicological effe LD: No. Ora Rati > 2 ty LD: No. Del Rati > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity. city ty	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 5000 mg/kg cudies ivity/irritanc nutageni	8-6) s, C12-15, branc 8-6) y: Eye Dam. 24	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corro Assessment/classifi Results from in vitro CMR effects (car Carcinogenicity No indication of hum Germ cell mutagenici Other information	kicological effe LD: No. Ora Rati > 2 ty LD: No. Del Rati > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity. city ty	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2/ city and toy	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corro Assessment/classiff Results from in vitro CMR effects (car Carcinogenicity No indication of hum Germ cell mutagenici Other information No experimental Human toxicologic	kicological effe LD: No. Ora Rait > 2 ty LD: No. Del Rait > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity, n han carcinogenicity. city ty indications of in vivo cial data	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2/ city and toy	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corro Assessment/classifi Results from in vitro CMR effects (car Carcinogenicity No indication of hum Germ cell mutagenici Other information No experimental i Human toxicologic Other information	kicological effe LD: No. Ora Rait > 2 No. Der Rait > 2 No. Der Rait Partico Skin corros Cinogenicity. n n n n n n n n n n n n n	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 50 (Alcohol: 120513-4 50 (Alcohol:	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2 <i>A</i> city and tox	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on tox Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (care Carcinogenicity No indication of hum Germ cell mutagenici Other information No experimental i Human toxicologic Other information No indications of	kicological effe LD: No. Ora Rat > 2 ty LD: No. Der Rat > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity. city ty indications of in vive al data human germ cell m	ects 50 (Alcohol: 120313-4 1 5000 mg/kg 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 mal 50 (Alcohol: 120313-4 50 (Alcohol: 120513-4 50 (Alcohol:	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2 / city and tox	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (carr Carcinogenicity No indication of hum Germ cell mutagenici Other information No experimental i Human toxicologic Other information No indications of Reproductive toxicit	kicological effe LD: No. Ora Rat > 2 ty LD: No. Der Rat > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity. city ty indications of in vive al data human germ cell m ty	ects 50 (Alcohols 120313-4 1 0000 mg/kg 50 (Alcohols 120313-4 mal 0000 mg/kg cudies ivity/irritanc nutageni o mutageni utagenicity	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2 / city and tox	thed and linear, eth	noxylated a	nd propoxylated ; CAS
	Information on too Acute effects Acute oral toxicity Parameter : Exposure route : Species : Effective dose : Acute dermal toxicit Parameter : Exposure route : Species : Effective dose : Specific symptor No data available Irritant and corroo Assessment/classiff Results from in vitro CMR effects (carr Carcinogenicity No indication of hum Germ cell mutagenici Other informatior No experimental i Human toxicologic Other informatior No indications of Reproductive toxicit Practical experiment	kicological effe LD: No. Ora Rat > 2 ty LD: No. Der Rat > 2 ms in animal st sive effects ication test for skin corros cinogenicity, n han carcinogenicity. city ty indications of in vive al data human germ cell m ty	ects 50 (Alcohols 120313-4 1 0000 mg/kg 50 (Alcohols 120313-4 mal 0000 mg/kg cudies ivity/irritanc nutageni o mutageni utagenicity e	8-6) s, C12-15, branc 8-6) y: Eye Dam. 2/ city and tox	thed and linear, eth	noxylated a	nd propoxylated ; CAS

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin KF Vitra-Clean

30.05.2017 27.07.2017

Version (Revision) :	2.0.0 (1.0.0)
Page :	6 / 8

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

	Acute (short-term) fish toxicity	
	Parameter :	LC50 (Alcohols, C12-15, branched and linear, $$ ethoxylated and propoxylated ; CAS No. : 120313-48-6)
	Species :	Fish
	Effective dose :	> 0,1 - 1 mg/l
	Exposure time :	96 h
	Method :	OECD 203
	Acute (short-term) daphnia toxici	ty
	Parameter :	EC50 (Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6)
	Species :	Daphnia
	Effective dose :	> 1 - 10 mg/l
	Exposure time :	48 h
	Acute (short-term) algae toxicity	
	Parameter :	IC50 (Alcohols, C12-15, branched and linear, ethoxylated and propoxylated ; CAS No. : 120313-48-6)
	Species :	Algae
	Effective dose :	> 0,1 - 1 mg/l
	Exposure time :	72 h
	Method :	OECD 201
	Sediment toxicity	
	Toxicity to soil macroorganisms	
	Acute earthworm toxicity	
	Chronical earthworm toxicity (re	production)
	Long-term toxicity of organisms	living in the sediment
	Effects in sewage plants	
	U .	g effluent treatment. Before discharge into sewage plants the product normally
12.2	Persistence and degradabilit	v
	No data available	,
	Abiotic degradation	
	Abiotic degradation in Water Hydrolysis	
	Biodegradation	
	No.648/2004 on detergents. Data to	eparation comply with the biodegradability criteria as laid down in Regulation (EC) support this assertion are held at the disposal of the competent authorities of the ailable to them, at their direct request or at the request of a detergent
12.3	Bioaccumulative potential	
	No data available	
12.4	Mobility in soil	
	No data available	
12.5	Results of PBT and vPvB ass	sessment
		meet the PBT/vPvB criteria according to REACH, annex XIII.
12.6	Other adverse effects	
	No data available	
127	Additional ecotoxicological i	nformation
. 2. 1	Additional information	
	The product has not been tested.	

SECTION 13: Disposal considerations

Trade name : Lithofin KF Vitra-Clean

Revision date Print date :

30.05.2017 27.07.2017

2.0.0 (1.0.0)
7/8

13.1 Waste treatment methods

Dispose according to legislation.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code (91/689/EEC): 07 06 08*

Waste code packaging

Waste code packaging: 15 01 10^{\ast}

Waste treatment options

29/35 - Do not empty into drains; dispose of this material and its container in a safe way. Delivery to an approved waste disposal company.

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name No dangerous good in sense of these transport regulations.
14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

- 14.4 Packing group No dangerous good in sense of these transport regulations.
- 14.5 Environmental hazards No dangerous good in sense of these transport regulations.
- 14.6 Special precautions for user None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp) Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation) Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

National regulations

Observe in addition any national regulations! TRGS 510

Water hazard class (WGK)

Class : 2 (Hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

VOCV-Regulation (CH)

Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV

15.2 Chemical safety assessment

No information available.

15.3 Additional information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Lithofin KF Vitra-Clean

Revision date : Print date : 30.05.2017 27.07.2017

Version (Revision) :	2.0.0 (1.0.0)
Page :	8 / 8

SECTION 16: Other information

16.1	Indication of o	changes
	03. Hazardous in	Igredients
16.2	Abbreviations	s and acronyms
16.3	Key literature	references and sources for data
16.4	Classification 1272/2008 [CL	for mixtures and used evaluation method according to regulation (EC) No _P]
	No information a	vailable.
16.5	Relevant H- a	nd EUH-phrases (Number and full text)
	H315	Causes skin irritation.
	H318	Causes serious eye damage.
	H400	Very toxic to aquatic life.
16.6	Training advice	ce
	None	
16.7	Additional inf	ormation
	None	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.