

Makita

XGT

HEAVY DUTY BRUSHLESS

**40V Max Brushless
Stick Vacuum**



Product Statement




The 40V Max Brushless Stick Vacuum delivers market leading suction for a portable, hand-held vacuum. Suction power is adjusted by the 4 stage selection button to provide maximum runtime or maximum suction, depending on the situation.

The cyclonic filtration reduces filter maintenance, and the HEPA filter provides a high filtration rate of 99.97%. The pipe-lock system securely holds the pipe into place for long term durability.

Operating at just 65dB on the maximum setting, minimizes disturbance to people around the operator. The improved floor tool provides greater mobility around obstacles.



Product Overview



Product Specifications



Max. sealed suction	20kPa
Max. air volume	1.0m ³ /min (20L/s)
Tank capacity	440mL
Suction power:	100W, 60W, 35W, 15W
Continuous Runtime (Max power)	25 minutes (BL4040)
Overall length	1,046mm
Skin weight	1.0kg
Weight (with battery)	1.7kg (BL4025)
Voltage	40V Max

- **High Power Output** – the high power 40Vmax XGT Li-Ion battery allows for AC-comparable suction at 20kPa.
- **Cyclonic Filtration** – separates the larger and smaller particles to reduce maintenance on the filter.
- **Low Noise Operation** – Quiet cleaning at just 65dB on Max suction power.
- **Lightweight Design** – only 1.7kgs including battery for minimal fatigue through long periods of use.
- **4 Stage Suction Control** – allows the user to adjust the suction power according to the task, optimising runtime.
- **Pipe Lock** – pipe is secured into the capsule to provide high durability.
- **LED Worklight** – illuminates the work area and functions a battery fuel indicator.
- **Mode Memory** – starts the vacuum on the last mode it was used in allowing simple on/off operation.

Advantages




Versatility



4 stage suction control for long runtimes or high suction performance

Durability



Pipe-lock system secures the pipe to the capsule to prevent it coming out

Innovation



Redesigned airflow and vibration to reduce operating noise

Efficiency



Container is easily removed for waste disposal

	CL001G	CL002G	CL003G - NEW
Max Sealed Suction	21kPa	21kPa	20kPa
Capacity	730mL (Capsule)	500mL (Re-useable Filter Bag)	400mL (Capsule)
Suction Power	125W, 70W, 45W, 20W	125W, 70W, 45W, 20W	100W, 60W, 35W, 15W
Skin Weight	0.9kg	1.0kg	1.0kg
Voltage	40V Max	40V Max	40V Max

Standard Accessories		
	198919-6	330mm Sash Nozzle
	459354-6	Sash Nozzle Holder
	459353-8	Pipe
	127825-8	Floor Nozzle

Optional Accessories		
	458571-5	Wall Mounting Bracket
	140G19-0	Telescopic Pipe
	191E30-3	Flexible Detail Cleaning Hose
	198873-4	100mm Shelf Brush
	198878-4	40mm Round Brush
	199038-1	175mm Seat Brush
	198525-7	Carpet & Rug Floor Nozzle